

References

- Chave, A.D., and Cox, C.S., 1982, Controlled electromagnetic sources for measuring electrical conductivity beneath the oceans: 1. Forward problem and model study: *Journal of Geophysical Research: Solid Earth*, 87, 5327-5338.
- DI Qing-Yun, FANG Guang-You, ZHANG Yi-Ming .2013.Research of the Surface Electromagnetic Prospecting (SEP) system.*Chinese Journal Of Geophysics*, 56(11): 3629-3639
- DI Qing-Yun, LEI Da, WANG Zhong-Xing et al .2016.An integrated test of the multi-channel transient electromagnetic system.*Chinese Journal Of Geophysics*,59(12): 4399-4407
- Di Q Y, Fu C M, An Z G, et al. Field testing of the surface electromagnetic prospecting system. *APPLIED GEOPHYSICS*, 2017, 14(3):449-458.
- Qingyun Di, Diqian Li, Hui Cheng & Changmin Fu, 2010. An article on site investigation with geophysical methods in Tangshan city of China. *Geologically Active – Williams et al. (eds)*, 1793-1801.
- Wright, D.A., Ziolkowski, A., Hobbs, B.A., 2001. Hydrocarbon detection with a multichannel transient electromagnetic survey. *71st Ann. Internat. Mtg. Soc. of Expl. Geophys.*, pp. 1435-1438.
- Xue, G. Q., Chen, W. Y., and Zhou, N. N., 2013, Short-offset TEM technique with a grounded wire source for deep sounding: *Chinese J. Geophys.*, 56, 255-261.

DEEP-2018