







zone. Potential oil and gas reservoirs should be preserved in areas with little late tectonic deformation and small scale erosion. Favorable exploration targets are the main depressions and existing depressions and valleys in the basin.

**Acknowledgments:**

This study is supported by the China Geological Survey Project (NO.DD20160082), the National Key R&D Program of China (NO.2016YFC0600101) and the National Natural Science Foundation (No.41574133, No.41630320)

**References**

- Li X Y.2009.A study on the evolution of Xinjiang basin and the main geological events and its evidences[J].Journal of east China institute of technology(in Chinese),32(04):324-329.
- Zhang K,Lü Q T,Wei W B,Chen Xiangbin.2011.Metallogenic regularity of Audio-magnetotelluric method in the study of metallogenic regularity[J].Seismological and geomagnetic observation and research(in Chinese),32(06):156-161.
- Zhang K,Yan J Y,Lü Q T, Wei W B,Shao Lusen et al.2015.The study of upper crust electrical structure in Ningwu and adjacent area[J].Chinese journal of Geophysics(in Chinese),58(12):4505-4521.
- Zhang X S.1997.Regional geological tectonics and metallization of Xinjiang basin,Jiangxi[J].Jiangxi Geology(in Chinese),(04):8-16.

DEEP-2018